# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

RECEIVED CENTRAL FAX CLAVILE

P. 3

JERREL C. ANDERSON

CASE NO.: AD7079 US NA

FFB 2 2 2008

SERIAL NO.: 10/734363

GROUP ART UNIT: 1773

FILED: DECEMBER 12, 2003

EXAMINER: VIVIAN CHEN

FOR: USE OF PET FILM PRIMED WITH POLYALLYLAMINE COATINGS IN LAMINATED GLASS GLAZING CONSTRUCTIONS

### REQUEST FOR CORRECTION OR REFUND -PETITION FOR EXTENSION OF TIME

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

On February 21, 2006, applicants filed a Response to the Office Action dated September 22, 2005, along with a Petition for Extension of Time. Applicants checked the box for a three month extension of time. However, applicants should have checked the box for a two month extension of time. Consequently, applicants hereby request that the Patent Office either (a) only charge for a two month extension of time or (b) refund the difference between the cost of a three month and two month extension of time by crediting \$570 to Deposit Account No. 04-1928 (E. I. du Pont de Nemours and Company).

Respectfully submitted.

Hall Q. Kell Mark D. Kuller


Attorney For Applicant Registration No.: 40,296 Telephone: (302) 892-1354

Facsimile: (302) 992-3257

Dated: February 22, 2006

FEB. 22. 2006 2:59PM





# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

JERREL C. ANDERSON

CASE NO.: AD7079 US NA

SERIAL NO.: 10/734363

GROUP ART UNIT: 1773

FILED: DECEMBER 12, 2003

EXAMINER: VIVIAN CHEN

FOR: USE OF PET FILM PRIMED WITH POLYALLYLAMINE COATINGS IN LAMINATED GLASS GLAZING CONSTRUCTIONS

## SUPPLEMENTAL AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### Introductory Comments

Sir:

This is submitted to correct an error in the Response to the Office Action dated September 22, 2005. Please amend the application as follows:

FEB. 22. 2006 2:59PM

D. . . . . .

NO. 2858 P. 5

Application No.: 10/734363 Docket No.: AD7079USNA

Page 2

#### Amendments to Claims

- 1. (Previously Presented) A laminate comprising a layer of a polyester film that has been coated with a polyallylamine coating that is adjacent to, and in direct contact with, at least one other polymeric layer comprising a polymer selected from the group consisting of: ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers, wherein the polyallylamine coating adheres the polyester film to the at least one other polymeric layer.
  - 2. (Cancelled)
  - 3. (Cancelled)
- (Previously Presented) The laminate of Claim 2 wherein the polymer is the 4. ionoplast resin. 5.
  - (Cancelled)
  - 6. (Cancelled)
  - 7. (Cancelled)
  - 8. (Cancelled)
  - 9. (Cancelled)
  - 10. (Cancelled)
  - 11. (Cancelled)
  - 12. (Cancelled)
- (Currently amended) A laminate comprising: (1) a first polymer layer 13. comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers that is adjacent to and adhered to (2) a first polyester film layer comprising a polyester film that has been coated on both sides with polyallylamine coating, wherein the first polyester film layer is additionally adjacent to and adhered to (3) a second polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers, wherein the second polymer layer is additionally adjacent to and adhered to (4) a second polyester film layer comprising a polyester film that has been coated on both sides with a polyallylamine coating, wherein the second polyester film layer is additionally adjacent to and adhered to (5) a third polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers.
  - (Cancelled)

Application No.: 10/734363 Docket No.: AD7079U\$NA

Page 3

- 15. (Cancelled)
- 16. (Cancelled)
- 17. (Cancelled)
- 18. (Cancelled)
- (Previously Presented) The laminate of Claim 13 wherein the polymer of the 19. first polymer layer and the third polymer layer are the same polymer.
- (Previously Presented) The laminate of Claim 13 wherein the polymer of the first polymer layer is the ionoplast resin and the polymer of the third polymer layer is the 21.
- (Previously Presented) The laminate of Claim 13 wherein the polymer of the second polymer layer is the ionoplast resin and the polymer of the first and third polymer layers is the polyvinyl butyral. 22.
  - (Cancelled)
- (Previously Presented) The laminate of Claim 13 wherein polymer of the first 23. polymer layer is the polyvinyl butyral.
- (Previously Presented) The laminate of Claim 13 wherein the polymer of the first polymer layer is the ionoplast resin. 25.
  - (Cancelled)
- (Previously Presented) A laminate comprising: (1) an ionoplast resin polymer 26. layer that is in direct contact with (2) a polyester film that has been coated on both sides with a polyallylamine coating, wherein the coated polyester film is additionally in direct contact with (3) a polyvinyl butyral polymer layer, wherein the 90 degree peel strength is at least 15 lb/inch for the polymer layers. 27.
  - (Cancelled)
- (Currently amended) An article comprising a laminate comprising a layer of a 28. polyester film that has been coated with a polyallylamine coating that is adjacent to, and in direct contact with, at least one other polymeric layer comprising a polymer selected from the group consisting of: polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers, wherein the polyallylamine coating adheres the polyester film to the at least one other polymeric layer. 29.
- (Currently amended) The article of Claim 28 wherein the article is an article selected from the group consisting of: automobiles, display cabinets, trains, airplanes, boats, and buildings,

Application No.: 10/734363 Docket No.: AD7079USNA

- 30. (Previously Presented) The article of Claim 28 wherein the article is an article selected from the group consisting of: windows, stairs, ceilings, walls and skylights.
- 31. (Previously Presented) The laminate of claim 13 wherein the laminate is a glass laminate and the first polymer layer is laminated to the glass.
- 32. (Previously Presented) The laminate of claim 31 wherein the third polymer layer is also laminated to glass.
- 33. (Previously Presented) The laminate of claim 1 wherein the polyester film is a polyethylene terephthalate film.
- 34. (Previously Presented) The laminate of claim 13 wherein the polyester film of the first polyester film layer and the second polyester film layer is polyethylene terephthalate

  35. (Previously Presented)
- 35. (Previously Presented) The laminate of claim 32 wherein the polymer of the first polymer layer is the polyvinyl butyral; the polymer of the second polymer layer is the ionoplast resin; and the polymer of the third polymer layer is the polyvinyl butyral.
- 36. (Currently amended) The laminate of claim 37 35 wherein the polyester film of the first polyester film layer and the second polyester film layer is polyethylene 37. (Currently Amended)
- 37. (Currently Amended) A glass laminate comprising: (a) a layer of a polyester film that has been coated with a polyallylamine coating that is adjacent to, and adhered to, (b) a polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers, wherein the polymer layer is laminated to the plass
- 38. (Previously Presented) The laminate of claim 37 wherein the polyester film is a polyethylene terephthalate film.

  39. (Previously Presented)
- 39. (Previously Presented) The laminate of claim 38 wherein the polymer is the polyvinyl butyral.

  40. (Previously Presented)
- 40. (Previously Presented) The laminate of claim 38 wherein the polymer is the ionoplast resin.

  41. (Currently argued 2)
- 41. (Currently amended) A laminate comprising: (1) a first polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers that is adjacent to and adhered to (2) a polyester film layer comprising a polyester film that has been coated on both sides with polyallylamine coating, wherein the polyester film layer is

NO. 2858 P. 8

Application No.: 10/734363 Docket No.: AD7079USNA

Page 5

additionally adjacent to and adhered to (3) a second polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral, ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers.

- (Previously Presented) The laminate of claim 41 wherein the polyester film is a 42. polyethylene terephthalate film.
- (Previously Presented) The laminate of Claim 42 wherein the polymer of the first polymer layer and the polymer of the second polymer layer are not the same polymer.
- (Previously Presented) The laminate of claim 42 wherein the polymer of the first polymer layer is the polyvinyl butyral and the polymer of the second polymer layer is the 45.
- (Previously Presented) The laminate of claim 42 wherein the first polymer layer is adjacent to and adhered to a polyester film layer comprising a polyester film that has been coated on the side adjacent to the first polymer layer with a polyallylamine coating and which is coated on the other side with a hardcoat.
- (Previously Presented) The laminate of claim 42 wherein the first polymer layer is adjacent to and adhered to a polyester film layer comprising a polyester film that has been coated on the side adjacent to the first polymer layer with a polyallylamine coating and which is coated on the other side with a hardcoat.
- (Previously Presented) The laminate of claim 45 wherein the laminate is a glass/plastic laminate and the second polymer layer is laminated to the glass.
- (Currently amended) A laminate comprising: (1) a polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers that is adjacent to and adhered to (2) a polyester film layer comprising a polyester film that has been coated on the side adjacent to the polymer layer with a polyallylamine coating and which is coated on the other side with a hardcoat.
- (Previously Presented) The laminate of claim 47 wherein the hardcoat is a 49. polysiloxane abrasion resistant coating. **50**.
- (Previously Presented) The laminate of claim 48 wherein the polyester film is a polyethylene terephthalate film.
- (Previously Presented) The laminate of claim 49 wherein the laminate is a glass/plastic laminate and the polymer layer is laminated to the glass.

X. W.E. ... 334.10

NO. 2858 P. 9

Application No.: 10/734363 Docket No.: AD7079USNA

Page 6

- (Currently amended) A laminate comprising: (1) a polymer layer comprising a polymer selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; and ethylene acid copolymers that is adjacent to and adhered to (2) a polyester film layer comprising a polyester film that has been coated on both sides with a polyallylamine coating and which is further coated on the side opposite the polymer layer with a hardcoat.
- (Previously Presented) The laminate of claim 47 wherein the hardcoat is a polysiloxane abrasion resistant coating. 54.
- (Previously Presented) The laminate of claim 48 wherein the polyester film is a polyethylene terephthalate film.
- (Previously Presented) The laminate of claim 49 wherein the laminate is a glass/plastic laminate and the polymer layer is laminated to the glass. 56.
- (Previously Presented) The laminate of claim 1 wherein the polyallylamine coating was applied in-line with the polyester film.
- (Previously Presented) A process for preparing a laminate comprising the *5*7. steps of:
  - (a) providing a polyester film costed with polyallylamine;
- (b) providing a polymer sheet selected from the group consisting of polyvinyl butyral; ionoplast resin; polyurethanes; polyvinyl chlorides; polyacetals; ethylene acid copolymer
- (c) contacting the polyallylamine coated surface of the polyester film to the polymer sheet; and
  - (d) adhering coated surface of the polyester film to the polymer sheet by heating.
- (Previously Presented) The process of claim 57, wherein the polymer sheet is selected from the polyvinyl butyral sheet and the ionoplast resin sheet.
- (Previously Presented) The process of claim 58 wherein the polyester film is a polyethylene terephthalate film.

FEB. 22. 2006 3:01PM

NO. 2858

Application No.: 10/734363 Docket No.: AD7079USNA

Page 7

#### REMARKS

Reconsideration is respectfully requested in view of the amendments and remarks herein.

A number of claims are amended by replacing commas with semicolons for consistency.

Claim 29 is amended to fix a typographical error.

Claim 36 is amended to depend from claim 35 instead of claim 37.

Entry and consideration are respectfully requested.

FEB. 22. 2006 3:01PM

US HALLT TIPOLITIES

NO. 2858 P. 11

Application No.: 10/734363 Docket No.: AD7079USNA

Page 8

In view of the Response and the foregoing, allowance of the above-referenced application is respectfully requested. Should any matters be unresolved by this response, the Examiner is invited to telephone the undersigned at the below-listed direct dial number in order to expedite prosecution.

Respectfully submitted,

Mark D. Kuller

Attorney For Applicant

Registration No.: 40,296 Telephone: (302) 892-1354 Facsimile: (302) 992-3257

Dated: February 22, 2006

PTO/S8/22 (/2-04)

Approved for use through 07/31/2008. OMB 0851-003: U.S. Patent and Trademark Office; U.S. DEPARMENT OF COMMERCI sperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless if displays a valid OMB control number. Docket Number (Optional) ION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a) FY 2005 AD7079USNA (Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).) **Application Number** 10/734363 Filed December 12, 2003 USE OF PET FILM PRIMED WITH POLYALLYLAMINE COATINGS IN LAMINATED GLASS GLAZING CONSTRUCTIONS Art Unit 1773 Examiner Vivian Chen This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a reply in the above identified The requested extension and fee are as follows (check time period desired and enter the appropriate fee below): Fee **Small Entity Fee** One month (37 CFR 1.17(a)(1)) \$120 \$60 Two months (37 CFR 1.17(a)(2)) \$450 \$225 \$510 Three months (37 CFR 1.17(a)(3)) \$1020 1,020.00 Four months (37 CFR 1.17(a)(4)) \$1590 \$795 \$1080 Five months (37 CFR 1.17(a)(5)) \$2160 Applicant claims small entity status. See 37 CFR 1.27. A check in the amount of the fee is enclosed. Payment by credit card. Form PTO-2038 is attached. The Director has already been authorized to charge fees in this application to a Deposit Account. The Director is hereby authorized to charge any fees which may be required, or credit any overpayment, to . I have enclosed a duplicate copy of this sheet. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. I am the applicant/inventor. assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed (Form PTO/SB/96). attorney or agent of record. Registration Number attorney or agent under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 Mark D Kuller (302) 892-1354 Typed or printed name Telephone Number ₩°# NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more signature is required, see below. 8 Total of forms are submitted. This collection of Information is required by 37 CFR 1.136(a). The information is required to obtain or retain a benefit by the public which is to file (argeby the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 6 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual cities. Any comments on the amount of time you require to complete this form end/or suggestions for reducing this burden, should be sent to the Chief Information-Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETES FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

01 FC:1253

Adjustment date: 03/21/2006 SDIRETA1 02/24/2006 HDESTA1 00000015 041928

1020.00 CR

10734363

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

#### IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.